

# armourHOME

[www.armourhome.co.uk](http://www.armourhome.co.uk)



NEW PRODUCTS  
FROM



SoundScene™



AQUAVISION



## Exciting new products - plus some established favourites.

We've been a leading supplier to the Custom Installation industry for more than 25 years. Our success and reputation has grown over the years through our ability to consistently deliver, and properly support, high quality; innovative, reliable and great value products for our dealers. Products that continue to delight your clients whilst of course, simultaneously providing you with a good margin of profit.

## New Opportunities

Today we unveil more new and innovative models that will enhance your portfolio and increase your opportunities to please clients. These include the iPhone/iPad App, for the Systemline 'S6.2' Controller, the new Systemline 'E200', Q Install's 'Performance' installation loudspeakers, the 'SoundScene' real art 'Airplay' speaker, Q Acoustics' multi-award winning 7000 system and much more.

Chris Emerson  
Sales and Marketing Director

## Area Sales Managers

Our job is very straightforward – we're simply here to help you. We care about our customers and have the knowledge, experience and enthusiasm to provide you with everything you'll need to sell and support our products in the marketplace.

**Paul Hilditch**  
CI Product Manager  
01483 545621  
paul.hilditch@armourhome.co.uk



**Peter Gibb**  
ASM Scotland  
07825 008492  
peter.gibb@armourhome.co.uk



**Steve Bell**  
CI ASM North  
01942 524124  
steve.bell@armourhome.co.uk




**Steve Adams**  
CI ASM East  
07920 801849  
steve.adams@armourhome.co.uk



**Matt Wright**  
CI ASM South  
07970 137418  
matt.wright@armourhome.co.uk



**Marie Drane**  
CI Specialist  
01279 719593  
marie.drane@armourhome.co.uk



## Systemline E200

– A product designed for purpose


Systemline E200 is a built-in DAB/FM/iPod kitchen sound system, delivering a clutter free high quality solution. And don't worry, despite its advanced features, it is just as easy to use as any other kitchen radio, but with a number of extra benefits:

- No Clutter - it's built in to the wall
- Wipe clean - not a dust & grime collector
- Built-in iPod dock option - a nice feature missing from most radios
- TV sound - pipe TV sound through your Systemline system for much better sound quality
- Great sound quality - far better than your average radio and much more enjoyable
- Better sound dispersion - particularly important in larger kitchens or more open plan room layouts
- Flexible alarm/timer feature
- Wireless connectivity - a great feature whereby you can use products like iPod Touch's, iPhones, iPads in your hand and wire-free via the QED uPlay.

### Systemline E200



iPod not included



## Systemline AirWay

### An Installed AirPlay Music System

To operate the system, users simply open a music playing application on their 'iDevice' (Apple iPhone 3GS or 4S, iPad, or iPod Touch 2G or greater) and stream music wirelessly to the AirWay system. There is no requirement to dock the device. For ultimate convenience the AirWay system automatically turns on when it detects an audio signal and switches off 5 minutes after the music has stopped.


Systemline Airway is sold as a pack with everything you need.

#### Contents

- One pair of active in ceiling speakers
- One Digital Input Power Plate (DIPP)
- One plastic surface mounted back box for the DIPP
- One power supply
- One digital optical cable
- One 10 metre length of pre-terminated Cat5e cable
- One Cat5 punch down tool
- Instructions



## Systemline S6.2 Multiroom System Now offers 'iDevice' Control



**The iPad software interface follows the same screen logic as the Systemline touch screens**

**The first decision, to offer 'iDevice' control for the popular Systemline 6.2 multiroom system wasn't a difficult one. It's an obvious thing to do because consumers love the convenience of controlling their home from their iPad or the iPhone in their pocket.**

The second decision, to team up with market leaders 'DemoPad', to help create the template program and two way software interface for this new control option was also easy.

We didn't want to create a whole new system design platform, so we looked at all the successful remote control applications on the market and DemoPad clearly stands

out as having the simplest and most reliable product.

We wanted an iDevice 'Application' that was easy to configure for installers and ultra simple to use for consumers. The experts at DemoPad have helped us deliver a Systemline App that achieves everything we wanted.

Starting with the Systemline template, installers can do as little or as much customisation as they need to match each project. Whilst for home owners, what they see on their iDevice reflects the style and layout of Systemline's own touchscreen control pads to ensure consistency and familiarity of the user interface throughout an installation.

## Systemline DemoPad Training

### Description:

DemoPad software and App turns an iPad or iPhone into a sophisticated remote control system for all Systemline S6.2 systems, complementing the in-wall touch screen keypad. This course provides all the skills required to configure a basic system, controlling common devices. This is a 'hands on' workshop, where you'll make a system work using the following control methods:

- IR control of DVD player
- RS232 control of the S6.2 Controller
- IP control of the Systemline Audio Server

You will also learn how to create pages, sub-pages and import your own graphics. You will be gain knowledge of, and use Global Cache devices, which convert IP signals to IR or RS232. We have created a Systemline project template to get you started and we will explain how to customise this for each project.

### Skills Gained:


After the course you will be able to confidently specify and configure 'DemoPad' based control systems. Fully embracing the iPad, iPhone and iPod Touch as control devices in every Systemline project, and create user interfaces specific to each of your projects.

**Please phone Armour Home  
01279 501111 to book or for  
further information.**




Systemline Modular is the most scalable multi-room solution on the market today. Starting from single source audio distribution through to multi-source audio and video distribution, Systemline Modular is a great choice for a wide variety of projects including new build apartments, hotels, restaurants and commercial premises.

### Single Source Audio Distribution




### Multi-Source Video Distribution




## Express

Systemline Modular Express is a multi-room audio system which utilises Apple®'s AirPlay technology to stream music wirelessly from your Apple® handheld device, directly to Systemline. Systemline distributes this audio signal to any room in your home. Any number of rooms can be in use at the same time, with independent volume control, and perfect synchronisation. You can also choose to stream music from your Mac or PC using Apple®'s free 'Remote' app. Play music from your iTunes library, internet radio, BBC iPlayer, Spotify in fact most music playing applications! The pack comes with pre-configured speakers and AirPort Express, so works straight out of the box. Simply connect WIFI on the Apple® device to the Systemline Apple® AirPort Express, switch the zone on and select your music playing application. Systemline is then an available option, next to the volume bar on the iPhone or iPad.



### The Systemline Modular Express Pack includes:

- 1 x HM1 Single Source Hub
- 1 x PSM130 Power supply
- 1 x RM1 Remote Control
- 1 x Profile J2P QED profile jack to phono inter connect
- 2 x Pairs of ALM3.1 Active In Ceiling speakers
- 1 x Apple AirPort Express







Born in April 2012, Q Install offers the very latest product design and best value of any range of custom solution speakers. Closely related to the multiple award winning Q Acoustics products, the Q Install range perfectly reflects their ultra successful formula; market leading performance and superb value for money.

### Key Features:

Shallow depth: less than 84mm

Easy to install: 'Dog-leg' fixings

6.5" woofer diameter

Easy access: Magnetic grille fixings



Ultra Discrete: Thin bezel

Square or round grille options available













### Q Install Performance Now in stock

We are pleased to launch the 'Performance' line at the show and the range will continue to expand with more products coming later in the year.

### NEW Q Install on-wall speaker coming soon



Speaker type	PROFESSIONAL 6.5" IN-CEILING SPEAKERS		PERFORMANCE 6.5" IN-CEILING SPEAKERS		WEATHERPROOF 6.5" IN-CEILING SPEAKERS	
	 6.5" speakers supplied in pairs	 6.5" single stereo speaker supplied singly	 6.5" Performance speaker supplied singly	 6.5" Performance single stereo speaker supplied singly	 6.5" Weatherproof speaker supplied in pairs	 6.5" Weatherproof single stereo speaker supplied singly
Grille options, model number and stock code	<b>Model Number: Qi65C</b> Supplied with round grilles Stock Code: QI1110	<b>Model Number: Qi65C St</b> Supplied with round grille Stock Code: QI1150	<b>Model Number: Qi65CP</b> Supplied with round grilles Stock Code: QI1130	<b>Model Number: Qi65SCP St</b> Supplied with round grille Stock Code: QI1170	<b>Model Number: Qi65CW</b> Supplied with round grilles Stock Code: QI1190	<b>Model Number: Qi65CW St</b> Supplied with round grille Stock Code: QI1200
	 <b>Model Number: Qi65S</b> Supplied with square grilles Stock Code: QI1120	 <b>Model Number: Qi65S St</b> Supplied with square grille Stock Code: QI1160	 <b>Model Number: Qi65SP</b> Supplied with square grilles Stock Code: QI1140	 <b>Model Number: Qi65SP St</b> Supplied with square grille Stock Code: QI1180	N/A	N/A
	Swivel / 0.75" (19mm)	Fixed / 2 x 0.75" (19mm)	Swivel / 1" (25mm)	Fixed / 2 x 1" (25mm)	Swivel / 1" (25mm)	Swivel / 2 x 0.5" (13mm)
	6.5"	6.5"	6.5"	6.5"	6.5"	6.5"
	15-60W	15-60W	15-80W	15-80W	15-60W	15-60W
	8	8	8	8	8	8
	89	86	90 (switchable HF)	87 (switchable HF)	87 (switchable HF)	85 (switchable HF)
	75Hz	75Hz	70Hz	70Hz	65Hz	65Hz
	79mm	84mm	79mm	84mm	84mm	84mm
	232mm dia / 232mm x 232mm	232mm dia / 232mm x 232mm	232mm dia / 232mm x 232mm	232mm dia / 232mm x 232mm	230mm dia	230mm dia
	203mm	203mm	203mm	203mm	197mm	197mm

www.qinstall.co.uk



Our policy is one of continuous product improvement, we reserve the right to change the designs and specifications without notice. All information is given in good faith. The manufacturer accepts no responsibility for errors, omissions or incorrect assumptions. Armour Home Electronics 2012. E&OE.



## From real speaker experts

To achieve the dynamic sound quality you demand, PSB have applied their conventional loudspeaker design and decades of acoustical study to their custom installation models.

By focusing on the same qualities that have won rave reviews and numerous awards – smooth, accurate tonal balance, extended frequency, dynamic range, and true-to-life spatial imaging – PSB Custom Install speakers rival traditional loudspeakers. All PSB speakers meet the highest standards for performance while also remaining true to their belief that all PSB speakers must offer incredible value.



**CW180R**

Speaker	Tweeter mm	Woofer mm	Frequency Response	Sensitivity	Impedance	Overall Size mm	Cutout Size mm
<b>CW50R</b> 5.25" CIRCULAR PIVOT TWEETER SPEAKER PR 2-Way In-Wall System. Stock Code: <b>PS1010</b>	19	135	65-20,000Hz	86dB	8Ω	198 x 75mm	160mm
<b>CW60R</b> 6.5" CIRCULAR PIVOT TWEETER SPEAKER PR 2-Way In-Wall System. Stock Code: <b>PS1020</b>	19	165	55-20,000Hz	86dB	8Ω	240 x 76mm	209mm
<b>CW80R</b> 8" CIRCULAR PIVOT TWEETER SPEAKER PR 2-Way In-Wall System. Stock Code: <b>PS1030</b>	25	200	45-20,000Hz	87dB	8Ω	281 x 92mm	247mm
<b>CW88R</b> 8" CIRCULAR STEREO SPEAKER EA 2-Way Stereo In-Wall System. Stock Code: <b>PS1040</b>	2 x 25	200	45-20,000Hz	86dB	8Ω	281 x 92mm	247mm
<b>CW160R</b> 6.5" CIRCULAR SONIC GUIDE SPEAKER EA. Stock Code: <b>PS110</b>	19	165	45-21,000Hz	89dB	8Ω	241mm x 95mm	211mm
<b>CW160S</b> 6.5" SQUARE SONIC GUIDE SPEAKER EA. Stock Code: <b>PS1120</b>	19	165	45-21,000Hz	89dB	8Ω	241 x 241 x 95	211 X 211
<b>CW180R</b> 8" CIRCULAR SONIC GUIDE SPEAKER EA. Stock Code: <b>PS1130</b>	25	200	38-21,000Hz	90dB	8Ω	283 x 102	251
<b>CW180S</b> 8" SQUARE SONIC GUIDE SPEAKER EA, Stock Code: <b>PS1140</b>	25	200	38-21,000Hz	90dB	8Ω	283 x 283 x 102	251 x 251
<b>CW26</b> 6.5" RECTANGULAR 2-WAY PIVOT TWEETER SPEAKER PR. Stock Code: <b>PS1210</b>	25	165	55-20,000Hz	87dB	8Ω	230 x 322 x 78	195 x 289
<b>CW28</b> 8" RECTANGULAR 2-WAY PIVOT TWEETER SPEAKER PR. Stock Code: <b>PS1220</b>	25	200	45-20,000Hz	88dB	8Ω	268 x 373 x 97	235 x 338
<b>CW260</b> 6.5" RECTANGULAR 2-WAY SURROUND SPEAKER EA. Stock Code: <b>PS1230</b>	2 x 50	165	50-21,000Hz	87dB	8Ω	241 x 389 x 89	216 x 364
<b>CW262</b> 6.5" RECTANGULAR 2-WAY SONIC GUIDE SPEAKER EA. Stock Code: <b>PS1240</b>	19	165	50-21,000Hz	87dB	6Ω	241 x 389 x 89	216 x 364
<b>CW363</b> 6.5" RECTANGULAR 3-WAY PIVOT TWEETER SPEAKER EA. Stock Code: <b>PS1250</b>	19	165	50-21,000Hz	87dB	8Ω	241 x 389 x 96	216 x 364
<b>CW383</b> 8" RECTANGULAR 3-WAY PIVOT TWEETER SPEAKER EA.. Stock Code: <b>PS1260</b>	25 (100 Mid)	200	45-21,000Hz	90dB	8Ω	280 x 464 x 102	248 x 432
<b>CWS8</b> 2X8" RECTANGULAR PASSIVE SUBWOOFER EA. Stock Code: <b>PS1410</b>	N/A	2 x 200	39-200Hz	90dB	8Ω	280 x 464 x 116	248 x 432
<b>CS1000</b> OUTDOOR PR (Available in black or white). Stock Code: <b>PS7301</b> (black) <b>PS7302</b> (white)	25	165	59-20,000Hz	88dB	8Ω	235 x 310 x 294mm	N/A





## The 7000 Series

At last, a great looking, 5.1 'Style' loudspeaker package that's so good you'll even enjoy listening to your music.

Surely all home cinema speakers also play music equally well? The answer is sadly not. Reviewer after reviewer criticise the sonic performance of many home cinema style speakers when playing music. Quite simply such speakers are just not good enough. Their sonic shortcomings degrade movie soundtracks just the same as their musical performances.

The 7000 Series speakers completely solve this problem. They're so good they'll delight everyone; movie enthusiasts, gamers and music lovers alike.

**"Simply the best pound-for-pound speaker package of any type we've tested"**

What Hi-Fi? Sound And Vision, October 2011



**Love Music. Love Movies. Love Q Acoustics.**

# NAD High Performance Home Theatre and Hi-Fi



## M25 7-Channel Amplifier

- 7 channel amplifier, 160 watts per channel
- Easily exceeds THX certification level: Ultra 2
- Seven individual mono block amplifiers with each channel using a balanced junction FET input stage to eliminate cross-talk, resulting in exceptionally low levels of noise and distortion
- Unique electronic ground isolation circuit to prevent ground loop noise in the system.
- PowerDrive technology to give dynamic power up to 485 watts per channel.



## DAC 1

- Wirelessly send digital audio content from your computer to your home sound system up to 40 metres away with the NAD DAC 1.
- Leave a playlist or cloud music service free running or if using iTunes take control remotely with Apple's Remote Application for iPhone, iPad or iPod Touch.
- Connects to a USB socket on your computer and sends the music in the format it was recorded using a stable, high quality digital radio link then converts to analogue using a precision DAC at the sound system.



## M15 HD2 AV Surround Sound Preamplifier

- Rear panel IR remote input and outputs, programmable 12V triggers, and an RS-232 port
- Main and Zone 2 independent simultaneous AV Source capability (Zone 2 stereo).
- Zone 3 and 4 capability (analogue) replicating main zone source
- Multiple 24/192 2-channel DACs for ultimate 2 channel performance in separate zones
- 3D Capable with six HDMI inputs and two outputs
- Auto calibration with Audyssey MultEQ XT
- Future proof through Modular Design Construction.



## C565BEE CD Player

- High end performance CD player
- Digital and analogue outputs
- Optical input
- USB playback
- High quality DAC offering 24 bit resolution and up to 192kHz sampling rate
- Sample rate conversion circuit upgrades 44.1kHz CD playback to 96kHz or even 192kHz
- RS232, IR input/output, 12v Trigger



## M56 Blu-ray Player

- High end performance Blu-ray player
- Media streaming through wi-fi or Ethernet
- On board decoding for the latest lossless high bit rate music formats from Dolby TrueHD and DTS Master Audio 7.1
- Analogue 7.1 Channel Audio Output to reproduce the latest HD audio formats with any AV receiver that offers 5.1 or 7.1 input.



## C356BEE DAC Integrated Amplifier

- 2 x 80w per channel
- Dynamic power up to 290w
- Custom installation compatible with RS232, IR input/output and 12v trigger
- A/B Speaker switching
- Integrated DAC (up to 32/96)
- Digital and analogue inputs
- MDC to customise or upgrade
- Powerdrive technology



The VISO 1 is available in Black or White.



## VISO 1

- Bluetooth aptX wireless allows any Bluetooth enabled device to stream to the NAD VISO 1.
- Allows use of iTouch, iPhone, iPod and iPad, as well as Android and Windows based smartphones and tablets.
- aptX wireless is a lossless transfer codec giving the same performance as a wired connection.
- Digital optical input to enhance your TV sound
- Wall bracket available



### T757 NAD A/V Surround Sound Receiver

- 7 x 60 watt per channel
- Dynamic Power up to 243w per channel
- IR input/outputs, programmable 12V triggers, and an RS-232 port
- 3D Capable with 4 HDMI inputs, 1 Output plus digital coaxial and optical inputs/outputs for numerous system options
- 3D Capable
- Extra Zone Capability (see Zone Table)
- Support for the latest HD digital video technologies
- MDC to customise and upgrade



### T777 A/V Surround Sound Receiver

- 7 x 80 watts per channel
- Dynamic power up to 260W per channel
- 3D capable with 7 x HDMI inputs and two outputs.
- IP control, IR input/outputs, programmable 12V triggers, and an RS-232 port
- Audyssey MultEQ XT
- Customisable A/V presets for your customers' needs
- Extra zone capability (see Zone table)
- Support for the latest HD digital video technologies
- MDC to customise and upgrade



### T787 NAD A/V Surround Sound Receiver

- 7 x 120 watts per channel
- Dynamic Power up to 320 watts
- 3D capable with 7 x HDMI inputs and two outputs.
- Two Toroidal transformers supply to separately power front and rear channels for advance control and performance
- IP control, IR input/outputs, programmable 12V triggers, and an RS-232 port
- Audyssey MultEQ XT
- Customizable A/V presets for your customers' needs
- Extra zone capability (see Zone table)
- MDC to customise and upgrade

### Custom install friendly features

Model	Amplifier Setup	Zone 2	Zone 3	Zone 4	Other/Speaker B	Remote	RS232	IR	12v Trigger	MDC
T757	Main front/Main back/Zone2	All Sources, Front Input, Media Player, Tuner and Local Fixed or Variable	N/A	N/A	External Zone 2 feeds No speaker B	ZR5	Yes	IN X 1 OUT X 2	Y	Y
T777	Main Back, Bi-amp, Zone 2, 3, 4	Fixed and Variable volume control All enabled Sources, Front Input, Media, Player, Tuner and Local.	Record Out and Zone (Audio Only). All enabled Sources as well as from Front Input, Media Player and Tuner	Record Out and Zone (Audio Only). All enabled Sources as well as from Front Input, Media Player and Tuner	External Audio and Composite outputs Speaker B	ZR7 zone 2 control only	Yes	IN X 3 OUT X 3	Y	Y
T787	Main Back, Bi-amp, Zone 2, 3, 4	Fixed and Variable volume control All enabled Sources, Front Input, Media, Player, Tuner and Local.	Record Out and Zone (Audio Only). All enabled Sources as well as from Front Input, Media Player and Tuner	Record Out and Zone (Audio Only). All enabled Sources as well as from Front Input, Media Player and Tuner	External Audio and Composite outputs Speaker B	ZR7 zone 2 control only	Yes	IN X 3 OUT X 3	Y	Y



### PSB Imagine Mini

The smallest member of the award winning Imagine series. Engineered to give a huge sound stage and impressive bass from a compact size (143 x 234 x 212mm). 25mm Titanium Dome with Ferro fluid. 135mm Polypropylene cone Woofer. Extremely low crossover frequency in order to provide the same sound wherever speakers are placed.

#### Frequency Response

55-23,000Hz

#### Sensitivity

87dB



### PSB Imagine B Bookshelf

The highest detail paired with elegant design. The little brother to the Imagine Tower T2 speakers, although not so little when it comes to the high performance level from this bookshelf speaker (191 x 330 x 305mm). 25mm Titanium Dome with Ferro fluid. 135mm Polypropylene cone Woofer.

#### Frequency Response

52-23,000Hz

#### Sensitivity

87dB



### PSB Imagine T2 Tower

A high performance, transitional 5-way tower speaker equipped with Triple Port Bass Reflex and subdivided discrete chambers. Adding a third 133mm polypropylene woofer and a dedicated 102mm polypropylene midrange driver is literally music to your ears. This tower speaker design offers a sound experience that rivals loudspeakers costing two to three times more (210 x 1031 x 346mm).

#### Frequency response

34-23,000Hz

#### Sensitivity

90db

# SoundScene<sup>TM</sup>

On-wall AirPlay invisible speaker system



This framed picture conceals a surprising secret;  
the world's thinnest wireless Hi-Fi speaker system

## It's smart

Each SoundScene on-wall wireless speaker system is custom manufactured to your exact requirements. Just like a conventional picture frame, you can choose whatever artwork or image you want. It can even be a mirror.

## It's elegant

This is the new way to look at sound. SoundScene delivers just what you want, the convenience of wireless, dock-less operation and avoidance of clutter. SoundScene is the elegant way to enjoy music of your choice.

## It's simple

It could not be simpler, you just stream music wirelessly from your iPod Touch, iPhone or iPad directly to SoundScene; you don't even need a computer.

## It's choice

Take advantage of iTunes Match to play your entire music library from the 'Cloud'. Add a music on demand service such as Spotify and you will have literally millions of tracks to choose from.

## It sounds great

And SoundScene sounds great too, thanks to four low profile side firing wide dispersion BMR drivers, each are driven by their own dedicated 12.5 Watt RMS amplifier (50 Watts total) and each digitally equalized for optimum performance

## It's versatile

SoundScene can be used on its own, or can be combined with other AirPlay products to create a diverse multi-room system.



 Imagine Acoustics SoundScene<sup>TM</sup> 34A High Street, Old Woking, Surrey, GU22 9ER. Tel: 01483 769779, info@imagineacoustics.co.uk www.imagineacoustics.co.uk

## HOME CINEMA MODULES<sup>®</sup>

Home Cinema Modules produces the finest quality cinema seating and follows a competitive pricing structure. This allows clients to enjoy the best in cinema seating at more realistic prices. Home Cinema Modules also stock their more popular products making them available in two or three weeks, not months!

Armour operate a premiere centre scheme with Home Cinema Modules and is looking for twenty demonstration centres in the UK who will enjoy presence on [www.armourhome.co.uk/homecinemamodules](http://www.armourhome.co.uk/homecinemamodules) and a link from the manufactures site.

## Milano

The ergonomically designed 'Milano' is unique, exclusive, modern and luxurious. High quality Italian cowhides combine with electric adjustability to make the 'Milano' luxury cinema seat an absolute must for any high end installation.

Add refinements like a separate refrigerated and/or heated cup holder and the 'Milano' offers a modern seating solution for hours of viewing, listening and sitting comfort.

## Roma II

Top quality breathable leather, sleek lines and a range of luxurious accessories, make the fully electric 'Roma II' an ultra comfortable cinema seat. This timeless design, available in various colours to match taste and décor, will integrate perfectly into any home, enabling hours of uninterrupted enjoyment!

## Solo

The name says it all. The 'Solo' cinema seat from Home Cinema Modules is a luxurious, electrically adjustable, single seat unit.

The electrically adjustable foot support and backrest have separate motors, allowing them to be operated independently. This ensures users can always find a sitting position that provides optimal comfort.

Naturally, the 'Solo' cinema seat is beautifully finished in high-quality leathers.

## Round Up

'Round Up' is the rounded lounge sofa which epitomises contemporary European design and comfort. It offers multiple configuration possibilities, enabling you to create the most perfect cinema seating for a dedicated home cinema or living room.

'Round Up' is the perfect solution for clients who want to enjoy movies, music and games with their family and friends.



MILANO



ROMA II



SOLO



ROUNDUP





# AQUAVISION

Originators and manufacturers of waterproof and in wall televisions



## Series 4

The original and the ultimate in fully waterproof luxury televisions designed to be installed in any part of the bathroom including directly above the bath or within the shower enclosure. These televisions can also be installed in swimming pools, jacuzzis, etc. All Series 4 models come with a polished stainless steel surround to compliment other fittings and have full RS232 connection and discrete Infra-red codes for integration with Home Automation systems. This model can also interface directly with Sky boxes. Available in 19" HD, 26" FHD, 32" FHD, 40" FHD as standard products and 65" FHD to special order.



## Framed

Framed is a range of televisions discreetly concealed behind a mirror finished with a selection of classic frame designs. Mirrors are available in standard sizes or can be custom made to your individual requirements. Available for all screen sizes



## Frameless

Frameless is the entry range from Aquavision designed specifically for the bathroom retailer, hotel and new build markets. Designed to be installed in any part of the bathroom including directly above the bath or within the shower enclosure and available with 19" and 26" screens. The frameless range provides a high quality bathroom television solution for developers, architects, specifiers, designers and bathroom installers at a cost effective price.

## Bespoke

Aquavision can supply bespoke solutions for special applications creating a unique feature to any design. Any size glass can be supplied incorporating any of the Aquavision screen sizes from 19-65, and from any of their ranges. Previous applications include large mirrors for hotel bathrooms, mirrors above fireplaces, hotel lobbies, offices, board rooms, in fact anywhere you can put a mirror.

Screen details	AVF 19L-4S	AVF 19L-4A	AVF 26L-4S	AVF 26L-4HD	AVF 32L-4HD	AVF 40L-4HD
Screen Size	18.5"	18.5"	26"	26"	31.5"	40"
Overall size	350 x 495	371 x 516	472 x 702	492 x 722	571 x 854	692 x 1049
Back Box Size Inc Flanges	332 x 457	N/A	444 x 664	N/A	N/A	N/A
Cut-Out Size	322 x 450	362 x 507	437 x 656	483 x 713	562 x 845	683 x 1040
Back Box Depth	100	N/A	90	N/A	N/A	N/A
Screen Depth	N/A	69	N/A	86	98	90
Optional GBB Back Box Depth	N/A	90	N/A	115	120	120
Active Area	410 x 230	410 x 230	576 x 324	576 x 324	698 x 392	885 x 498



# QED Professional

Pure Design Pure Performance

## LSOH (Low Smoke Zero Halogen)

What does it mean and why is it better?

Most cables feature PVC insulation, some have a basic fire rating such as CL3, etc. Unfortunately, most cables give off hazardous toxic smoke during a fire, posing a very serious health risk. LSOH cables are made from a special compound that performs as well as PVC insulation, but crucially gives off very little smoke and no halogen toxins in the event of a fire.

Note: Many leading architects and builders are now specifying LSOH compliant cables as standard. Plus commercial and marine markets, specify as standard.

Only LSOH cables meet the legislated fire specifications for boat installations.


Conforms to the following specifications:

IEC 61034-1:2005 - Measurement of smoke density of cables burning under defined conditions.

IEC 60332-1:2004 - Test for vertical flame propagation for a single insulated wire or cable.

IEC 60754-2:1991 - (Amendment 1, 1997) test on gas evolved during combustion of electric cables.

All cables provided in a Probox - a reel in a dispensing box for your convenience.



LSOH

7.5mm dia

LSOH

6mm dia



LSOH

6mm dia

UK Approved

CRESTRON

LUTRON

AMX  
LANDMARK

Helvar



LSOH

8.5mm dia

### QX16/2 (Two Core Speaker Cable) QX16/4 (Four Core Speaker Cable)

The QX16/2 and QX16/4 are high performance installation speaker cables with the added bonus of a LSOH fire rated outer sheath. They are designed to deliver good levels of performance in most multi-room and home cinema installations.

#### Features:

- LSOH (Low Smoke Zero Halogen) High Performance outer jacket. Exceeds IEC332-1, IEC60754-1 & IEC60754-2
- Large cross sectional area of high purity copper conductors ensures good performance levels are maintained - even on longer runs
- Colour coded conductor sheaths
- Sequentially metre marked
- Supplied in 100m (328ft) Probox & on 300m (984ft) reel

Stock Code	Description
QE4010	QX16/2 CABLE 100M BOX
QE4015	QX16/2 CABLE 300M REEL
QE4020	QX16/4 CABLE 100M BOX
QE4025	QX16/4 CABLE 300M REEL

### QXDAV1 Audio/Video Co-ax Cable

For use with all QX59 quick-fit crimp-on connectors.

A high performance audio/video co-ax installation cable with a range of high performance quick-fit crimp-on termination solutions. It's ideal for most digital/analogue audio and video installations.

#### Features:

- LSOH (Low Smoke Zero Halogen) High Performance outer jacket. Exceeds IEC332-1, IEC60754-1 & IEC60754-2
- True 75 Ohm high purity solid core centre conductor ensures signal integrity - even on longer runs
- Features close bond double screen of Aluminium Mylar and woven tinned copper braids for excellent noise rejection
- Available in colour coded Lilac
- Sequentially metre marked
- Compatible with CM0690 Cable Stripper
- Supplied in 150m (492ft) Probox

Stock Code	Description
QE4070	QXDAV1 - LSOH 150 MTR BOX

### QXHA1 Home Automation Cable

The QXHA1 is a high performance combined data and power cable suitable for a range of home automation and lighting control systems including: Lutron Grafik Eye, Helvar, Crestron Cresnet and AMX.

#### Features:

- LSOH (Low Smoke Zero Halogen) High Performance outer jacket. Exceeds IEC332-1, IEC60754-1 & IEC60754-2 LSOH fire rated outer sheath
- Cable comprises: 2 x Screened twisted pair data/power cables with each pair having a separate Aluminium Mylar shield for excellent separation and noise rejection
- Industry standard conductor colour coding
- Sequentially metre marked
- Available in colour coded Blue
- 100m (328ft) Probox with job ticket

Stock Code	Description
QE4080	QXHA1 - LSOH 100 MTR BOX



Pure Design Pure Performance

The QED connectivity business started in 1977. The first product was QED 42 Strand speaker cable, soon followed by the famous QED 79 Strand, both still in production today. Now we have a very wide range of digital and analogue cables and a growing number of wireless solutions. The centrepiece of our digital offering is our family of HDMI leads. All our products are designed in the UK at our R&D centre, where we have one of the best equipped listening, measurement and assessment suites in the industry.

**Standard Speed**  
(min. 720p HD Ready)

**High Speed**  
(1080p60+Full HD)

**Standard Speed**  
with Ethernet

**High Speed**  
with Ethernet



### Reference HDMI

**Features:**

- HDMI Ethernet Channel
- Audio Return Channel
- Authorised Test Centre certified
- 1.4 and 3D TV Compatible
- Ultra low jitter

Stock Code	Description
QE3200	REFERENCE HDMI 0.6m HS WITH E
QE3201	REFERENCE HDMI 1.0m HS WITH E
QE3202	REFERENCE HDMI 1.5m HS WITH E
QE3203	REFERENCE HDMI 2.0m HS WITH E
QE3204	REFERENCE HDMI 3.0m HS WITH E



### Performance HDMI

**Features:**

- HDMI Ethernet Channel
- Audio Return Channel
- Authorised Test Centre certified
- 1.4 and 3D TV Compatible
- Very low jitter

Stock Code	Description
QE3100	PERFORMANCE HDMI 0.6m HS WITH E
QE3101	PERFORMANCE HDMI 1.0m HS WITH E
QE3109	PERFORMANCE HDMI 1.5m HS WITH E
QE3102	PERFORMANCE HDMI 2.0m HS WITH E
QE3103	PERFORMANCE HDMI 3.0m HS WITH E
QE3105	PERFORMANCE HDMI 5.0m HS WITH E

### Performance HDMI-E

Stock Code	Description
QE2025	PERFORMANCE HDMI-E 7.0m
QE2030	PERFORMANCE HDMI-E 10m
QE2035	PERFORMANCE HDMI-E 15m
QE2040	PERFORMANCE HDMI-E 20m



### Profile HDMI

**Features:**

- Authorised Test Centre certified
- HDMI Ethernet Channel
- Audio Return Channel
- 1.4 and 3D TV Compatible
- Low jitter

Stock Code	Description
QE5001	PROFILE HDMI 1m HS WITH E 8 PACK
QE5003	PROFILE HDMI 1.5m HS WITH E 8 PACK
QE5006	PROFILE HDMI 2m HS WITH E 8 PACK



### XT-Cinema Speaker Cable Kit

**Kit Contains everything needed to wire up a typical home cinema speaker system:**

- 30m X-Tube with Polycore
- 5 screw-loc black banana plugs
- 5 screw-loc red banana plugs
- 10 channel labels

**Features:**

- Unrivalled ultra-compact performance
- Ultra-flexible 99.999% oxygen free conductors
- Uses "X-Tube"™ with Polycore™ Technology for ultra low inductance
- Polyethylene Core
- QED Lifetime Guarantee
- Easy-strip jacket
- Dimensions 3 mm x 6.2 mm

Stock Code	Description
QE3950	XT-CINEMA SPEAKER CABLE KIT



### uPlay Puck

**Effortlessly stream fantastic, high quality music, wirelessly to your Hi-Fi system.**

The all new uPlay Bluetooth™ receiver from QED LIVE, is ultra-simple to use and incorporates new 'apt-X®' technology for ultimate Bluetooth™ sound quality.

**Features:**

- iPhone™ 3G, 3GS and 4, iPod™ Touch 2nd and 3rd Gen, iPad
- Bluetooth™ enabled PDA's and Mobile Phones
- Bluetooth™ enabled Computers and Netbooks

Stock Code	Description
QE2920	QED PUCK

# armourHOME

[www.armourhome.co.uk](http://www.armourhome.co.uk)